



ZFW

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Warren M. Farnworth

Serial No.: 10/705,394

Filed: November 10, 2003

For: METHODS AND APPARATUS FOR
CALIBRATING PROGRAMMABLE
MATERIAL CONSOLIDATION
APPARATUS

Confirmation No.: 4404

Examiner: Unknown

Group Art Unit: 2621

Attorney Docket No.: 2269-5558H US
(99-0253.07/US)

CERTIFICATE OF MAILING

I hereby certify that this correspondence along with any attachments referred to or identified as being attached or enclosed is being deposited with the United States Postal Service as First Class Mail on the date of deposit shown below with sufficient postage and in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

February 4, 2005
Date

Rachael M. Harris
Signature

Rachael M. Harris
Name (Type/Print)

STATUS INQUIRY

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

1. More than 15 months have passed since



NEW APPLICATIONS

the filing of this application on November 10, 2003.

No communication has been received from the Patent and Trademark Office indicating action on this application.



AMENDED APPLICATIONS

the filing of a response on _____.

No further communication has been received from the Patent and Trademark Office

☐

APPEALED APPLICATIONS

the Appeal Brief was filed on _____.

(check and complete applicable items below)

☐

An Examiner's Answer was mailed on _____.

☐

A reply to the Examiner's Answer was submitted on _____.


☐

ALLOWED APPLICATIONS

The mailing of FORM POL-327 and/or Examiner's Amendment on _____.

2. Kindly advise the undersigned of the present status of this application by checking the appropriate box on the following page. A stamped return-addressed envelope is provided.

Respectfully submitted,



Brick G. Power

Registration No. 38,581

Attorney for Applicant(s)

TRASKBRITT

P.O. Box 2550

Salt Lake City, Utah 84110-2550

Telephone: 801-532-1922

Date: February 4, 2005

BGP/eg:rmh

Document in ProLaw